ISBE_ID	BUILDING_ID	BUILDING_DESC	SAMPLE_DATE	SAMPLE_TIME	COLLECTED_BY	SAMPLE_ID_NUMBER	SAMPLE_LOCATION_DESC	FIXTURE_TYPE	DATE_OF_LAST_USE	TIME_OF_LAST_USE	SAMPLE_TYPE	SAMPLE_VOLUME	LABORATORY_NAME	ANALYTICAL_METHOD	CONCENTRATION_(ug/L)	REPORTING_LIMIT_(ug/L)	NOTES
		Mt.Zion Grade School	12-05-2017	07:12:00	STEVE BLICKENSDERFER	17L0123-61	Room 15	DF-Drinking Fountain	12/04/17	9:00 PM	FIRST DRAW	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
		Mt.Zion Grade School	12-05-2017	07:12:00	STEVE BLICKENSDERFER	17L0123-62	Room 15	DF-Drinking Fountain	12/04/17	9:00 PM	FLUSH	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
		Mt.Zion Grade School	12-05-2017	07:14:00	STEVE BLICKENSDERFER	17L0123-63	Room 16	DF-Drinking Fountain	12/04/17	9:00 PM	FIRST DRAW	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
		Mt.Zion Grade School	12-05-2017	07:14:00	STEVE BLICKENSDERFER	17L0123-64	Room 16	DF-Drinking Fountain	12/04/17	9:00 PM	FLUSH	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
		Mt.Zion Grade School	12-05-2017	07:16:00	STEVE BLICKENSDERFER	17L0123-65	Room 17	DF-Drinking Fountain	12/04/17	9:00 PM	FIRST DRAW	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
		Mt.Zion Grade School	12-05-2017	07:16:00	STEVE BLICKENSDERFER	17L0123-66	Room 17	DF-Drinking Fountain	12/04/17	9:00 PM	FLUSH	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
		Mt.Zion Grade School	12-05-2017	07:16:00	STEVE BLICKENSDERFER	17L0123-67	Gym Lobby East Drinking Fountain	DF-Drinking Fountain	12/04/17	9:00 PM	FIRST DRAW	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	3.66	2	
		Mt.Zion Grade School	12-05-2017	07:16:00	STEVE BLICKENSDERFER	17L0123-68	Gym Lobby East Drinking Fountain	DF-Drinking Fountain	12/04/17	9:00 PM	FLUSH	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	3.66	2	
		Mt.Zion Grade School	12-05-2017	07:18:00	STEVE BLICKENSDERFER	17L0123-69	Gym Lobby East Drinking Fountain	DF-Drinking Fountain	12/04/17	9:00 PM	FIRST DRAW	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
		Mt.Zion Grade School	12-05-2017	07:18:00	STEVE BLICKENSDERFER	17L0123-70	Gym Lobby East Drinking Fountain	DF-Drinking Fountain	12/04/17	9:00 PM	FLUSH	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	05:58:00	STEVE BLICKENSDERFER	17L0123-01	Classroom #1	O-Other	12/04/17	9:00 PM	FIRST DRAW	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	2.75	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	05:58:00	STEVE BLICKENSDERFER	17L0123-02	Classroom #1	O-Other	12/04/17	9:00 PM	FLUSH	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	2.89	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:00:00	STEVE BLICKENSDERFER	17L0123-03	Classroom #2	O-Other	12/04/17	9:00 PM	FIRST DRAW	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	2.70	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:00:00	STEVE BLICKENSDERFER	17L0123-04	Classroom #2	O-Other	12/04/17	9:00 PM	FLUSH	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:02:00	STEVE BLICKENSDERFER	17L0123-05	Classroom #3	O-Other	12/04/17	9:00 PM	FIRST DRAW	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	19.5	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:02:00	STEVE BLICKENSDERFER	17L0123-06	Classroom #3	O-Other	12/04/17	9:00 PM	FLUSH	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	5.47	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:04:00	STEVE BLICKENSDERFER	17L0123-07	Library	O-Other	12/04/17	9:00 PM	FIRST DRAW	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	4.00	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:04:00	STEVE BLICKENSDERFER	17L0123-08	Library	O-Other	12/04/17	9:00 PM	FLUSH	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	3.62	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:06:00	STEVE BLICKENSDERFER	17L0123-09	Classroom #7	O-Other	12/04/17	9:00 PM	FIRST DRAW	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:06:00	STEVE BLICKENSDERFER	17L0123-10	Classroom #7	O-Other	12/04/17	9:00 PM	FLUSH	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:06:00	STEVE BLICKENSDERFER	17L0123-31	Room #20	O-Other	12/04/17	9:00 PM	FIRST DRAW	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	5.10	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:06:00	STEVE BLICKENSDERFER	17L0123-32	Room #20	O-Other	12/04/17	9:00 PM	FLUSH	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:08:00	STEVE BLICKENSDERFER	17L0123-11	Classroom #8	O-Other	12/04/17	9:00 PM	FIRST DRAW	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:08:00	STEVE BLICKENSDERFER	17L0123-12	Classroom #8	O-Other	12/04/17	9:00 PM	FLUSH	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:08:00	STEVE BLICKENSDERFER	17L0123-33	Room #21	O-Other	12/04/17	9:00 PM	FIRST DRAW	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:08:00	STEVE BLICKENSDERFER	17L0123-34	Room #21	O-Other	12/04/17	9:00 PM	FLUSH	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:10:00	STEVE BLICKENSDERFER	17L0123-35	Room #22	O-Other	12/04/17	9:00 PM	FIRST DRAW	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	2.58	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:10:00	STEVE BLICKENSDERFER	17L0123-36	Room #22	O-Other	12/04/17	9:00 PM	FLUSH	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:12:00	STEVE BLICKENSDERFER	17L0123-13	Classroom #9	O-Other	12/04/17	9:00 PM	FIRST DRAW	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:12:00	STEVE BLICKENSDERFER	17L0123-14	Classroom #9	O-Other	12/04/17	9:00 PM	FLUSH	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:12:00	STEVE BLICKENSDERFER	17L0123-37	Room #25	O-Other	12/04/17	9:00 PM	FIRST DRAW	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:12:00	STEVE BLICKENSDERFER	17L0123-38	Room #25	O-Other	12/04/17	9:00 PM	FLUSH	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:14:00	STEVE BLICKENSDERFER	17L0123-15	Classroom #10	O-Other	12/04/17	9:00 PM	FIRST DRAW	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	4.20	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:14:00	STEVE BLICKENSDERFER	17L0123-16	Classroom #10	O-Other	12/04/17	9:00 PM	FLUSH	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:14:00	STEVE BLICKENSDERFER	17L0123-39	Room #26	O-Other	12/04/17	9:00 PM	FIRST DRAW	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:14:00	STEVE BLICKENSDERFER	17L0123-40	Room #26	O-Other	12/04/17	9:00 PM	FLUSH	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:18:00	STEVE BLICKENSDERFER	17L0123-41	Classroom #27	O-Other	12/04/17	9:00 PM	FIRST DRAW	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:18:00	STEVE BLICKENSDERFER	17L0123-42	Classroom #27	O-Other	12/04/17	9:00 PM	FLUSH	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:20:00	STEVE BLICKENSDERFER	17L0123-17	Classroom #11	O-Other	12/04/17	9:00 PM	FIRST DRAW	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:20:00	STEVE BLICKENSDERFER	17L0123-18	Classroom #11	O-Other	12/04/17	9:00 PM	FLUSH	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:20:00	STEVE BLICKENSDERFER	17L0123-43	Classroom #28	O-Other	12/04/17	9:00 PM	FIRST DRAW	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:20:00	STEVE BLICKENSDERFER	17L0123-44	Classroom #28	O-Other	12/04/17	9:00 PM	FLUSH	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:22:00	STEVE BLICKENSDERFER	17L0123-45	Classroom #29	O-Other	12/04/17	9:00 PM	FIRST DRAW	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:22:00	STEVE BLICKENSDERFER	17L0123-46	Classroom #29	O-Other	12/04/17	9:00 PM	FLUSH	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:24:00	STEVE BLICKENSDERFER	17L0123-19	Classroom #13	O-Other	12/04/17	9:00 PM	FIRST DRAW	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	2.23	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:24:00	STEVE BLICKENSDERFER	17L0123-20	Classroom #13	O-Other	12/04/17	9:00 PM	FLUSH	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:24:00	STEVE BLICKENSDERFER	17L0123-47	Classroom #30	O-Other	12/04/17	9:00 PM	FIRST DRAW	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:24:00	STEVE BLICKENSDERFER	17L0123-48	Classroom #30	O-Other	12/04/17	9:00 PM	FLUSH	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:26:00	STEVE BLICKENSDERFER	17L0123-49	East Hall Drinking Fountain	O-Other	12/04/17	9:00 PM	FIRST DRAW	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:26:00	STEVE BLICKENSDERFER	17L0123-50	East Hall Drinking Fountain	O-Other	12/04/17	9:00 PM	FLUSH	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:30:00	STEVE BLICKENSDERFER	17L0123-21	Classroom #15	O-Other	12/04/17	9:00 PM	FIRST DRAW	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:30:00	STEVE BLICKENSDERFER	17L0123-22	Classroom #15	O-Other	12/04/17	9:00 PM	FLUSH	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:32:00	STEVE BLICKENSDERFER	17L0123-23	Classroom #16	O-Other	12/04/17	9:00 PM	FIRST DRAW	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:32:00	STEVE BLICKENSDERFER	17L0123-24	Classroom #16	O-Other	12/04/17	9:00 PM	FLUSH	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:34:00	STEVE BLICKENSDERFER	17L0123-25	Classroom #17	O-Other	12/04/17	9:00 PM	FIRST DRAW	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:34:00	STEVE BLICKENSDERFER	17L0123-26	Classroom #17	O-Other	12/04/17	9:00 PM	FLUSH	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:37:00	STEVE BLICKENSDERFER	17L0123-27	Classroom #18	O-Other	12/04/17	9:00 PM	FIRST DRAW	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:37:00	STEVE BLICKENSDERFER	17L0123-28	Classroom #18	O-Other	12/04/17	9:00 PM	FLUSH	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:40:00	STEVE BLICKENSDERFER	17L0123-29	Classroom #19	O-Other	12/04/17	9:00 PM	FIRST DRAW	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262004	2004	McGaughey Elementary	12-05-2017	06:40:00	STEVE BLICKENSDERFER	17L0123-30	Classroom #19	O-Other	12/04/17	9:00 PM	FLUSH	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262004	2004	McGaughey Elementary School	12-05-2017	05:45:00	STEVE BLICKENSDERFER	17L0123-79	Nurse Room	S-Sink	12/04/17	9:00 PM	FIRST DRAW	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262004	2004	McGaughey Elementary School	12-05-2017	05:45:00	STEVE BLICKENSDERFER	17L0123-80	Nurse Room	S-Sink	12/04/17	9:00 PM	FLUSH	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262005	2005	Mt.Zion Grade School	12-05-2017	07:10:00	STEVE BLICKENSDERFER	17L0123-71	West Pod	DF-Drinking Fountain	12/04/17	9:00 PM	FIRST DRAW	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262005	2005	Mt.Zion Grade School	12-05-2017	07:10:00	STEVE BLICKENSDERFER	17L0123-72	West Pod	DF-Drinking Fountain	12/04/17	9:00 PM	FLUSH	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262005	2005	Mt.Zion Grade School	12-05-2017	07:12:00	STEVE BLICKENSDERFER	17L0123-73	East Pod	DF-Drinking Fountain	12/04/17	9:00 PM	FIRST DRAW	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262005	2005	Mt.Zion Grade School	12-05-2017	07:12:00	STEVE BLICKENSDERFER	17L0123-74	East Pod	DF-Drinking Fountain	12/04/17	9:00 PM	FLUSH	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030262005	2005	Mt.Zion Grade School	12-05-2017	07:14:00	STEVE BLICKENSDERFER	17L0123-75	East Pod Sink	S-Sink	12/04/17	9:00 PM	FIRST DRAW	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	9.38	2	
390550030262005	2005	Mt.Zion Grade School	12-05-2017	07:14:00	STEVE BLICKENSDERFER	17L0123-76	East Pod Sink	S-Sink	12/04/17	9:00 PM	FLUSH	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	5.05	2	
390550030262005	2005	Mt.Zion Grade School	12-05-2017	07:16:00	STEVE BLICKENSDERFER	17L0123-77	West Pod Sink	S-Sink	12/04/17	9:00 PM	FIRST DRAW	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	14.2	2	
390550030262005	2005	Mt.Zion Grade School	12-05-2017	07:16:00	STEVE BLICKENSDERFER	17L0123-78	West Pod Sink	S-Sink	12/04/17	9:00 PM	FLUSH	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	2.31	2	
390550030030262005	2005	Mt.Zion Grade School	12-05-2017	07:04:00	STEVE BLICKENSDERFER	17L0123-51	South Pod	DF-Drinking Fountain	12/04/17	9:00 PM	FIRST DRAW	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030030262005	2005	Mt.Zion Grade School	12-05-2017	07:04:00	STEVE BLICKENSDERFER	17L0123-52	South Pod	DF-Drinking Fountain	12/04/17	9:00 PM	FLUSH	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030030262005	2005	Mt.Zion Grade School	12-05-2017	07:04:00	STEVE BLICKENSDERFER	17L0123-59	Cafetaria	O-Other	12/04/17	9:00 PM	FIRST DRAW	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030030262005	2005	Mt.Zion Grade School	12-05-2017	07:04:00	STEVE BLICKENSDERFER	17L0123-60	Cafetaria	O-Other	12/04/17	9:00 PM	FLUSH	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	16.9	2	
390550030030262005	2005	Mt.Zion Grade School	12-05-2017	07:06:00	STEVE BLICKENSDERFER	17L0123-57	Room 105	S-Sink	12/04/17	9:00 PM	FIRST DRAW	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030030262005	2005	Mt.Zion Grade School	12-05-2017	07:06:00	STEVE BLICKENSDERFER	17L0123-58	Room 105	S-Sink	12/04/17	9:00 PM	FLUSH	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030030262005	2005	Mt.Zion Grade School	12-05-2017	07:08:00	STEVE BLICKENSDERFER	17L0123-53	Room 103	S-Sink	12/04/17	9:00 PM	FIRST DRAW	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030030262005	2005	Mt.Zion Grade School	12-05-2017	07:08:00	STEVE BLICKENSDERFER	17L0123-54	Room 103	S-Sink	12/04/17	9:00 PM	FLUSH	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030030262005	2005	Mt.Zion Grade School	12-05-2017	07:10:00	STEVE BLICKENSDERFER	17L0123-55	Room 104	S-Sink	12/04/17	9:00 PM	FIRST DRAW	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	
390550030030262005	2005	Mt.Zion Grade School	12-05-2017	07:10:00	STEVE BLICKENSDERFER	17L0123-56	Room 104	S-Sink	12/04/17	9:00 PM	FLUSH	250ml	IEPA Laboratory	Lead by ICP/MS (200.8)	ND	2	